


COMe-cBTi6R



COM Express® Compact Type 6 with Intel Atom® E300 series

- ▶ Intel Atom® E3800 series
- ▶ Up to 4 GByte DDR3L ECC or 8 GByte DDR3L non-ECC memory down
- ▶ 7x USB 2.0, 1x USB 3.0, eMMC Flash, 2x SATA, 4x PCIe
- ▶ Industrial grade temperature, rapid shutdown support


POSSIBILITIES START HERE



▶ TECHNICAL INFORMATION

COMPLIANCE	COM Express® compact, Pin-out Type 6
DIMENSIONS	95 x 95 mm
CPU	Intel Atom® E3845, Intel Atom® E3827, Intel Atom® E3826, Intel Atom® E3825, Intel Atom® E3815
CHIPSET	-
MAIN MEMORY	2x DDR3L-1333 ECC memory down up to 4 GByte or 2x DDR3L-1333 memory down up to 8 GByte
GRAPHICS CONTROLLER	Intel® HD Graphics (Gen7)
ETHERNET CONTROLLER	USB SMSC LAN7500i, PCIe Intel® I210IT optional
ETHERNET	10/100/1000 MBit Ethernet
PCI EXPRESS	4x PCIe x1 Gen2 w/USB LAN, 3x PCIe x1 Gen2 w/PCIe LAN
STORAGE	2x SATA 3Gb/s
FLASH ONBOARD	8 - 64 GByte eMMC, 1x microSD Socket
PANEL SIGNAL	DDI1: DP++, DDI2: DP++ (shared w/LVDS), DDI3: -, VGA: Yes, LVDS: Dual Channel 18/24bit
USB	1x USB 3.0 (incl. USB 2.0), 2x USB 2.0 from CPU, 4x USB 2.0 from HSIC Hub
SERIAL	2x serial interface (RX/TX only)
AUDIO	Intel® High Definition Audio
COMMON FEATURES	SPI, LPC, SMB, Fast I ² C, Staged Watchdog, RTC, MARS
BIOS	Phoenix Secure Core UEFI
HUMIDITY	93 % relative Humidity at 40 °C, non-condensing (according to IEC 60068-2-78)
OPTIONS	ECC or non-ECC memory, eMMC Flash onboard (4 - 32 GByte pSLC, 8 - 64 GByte MLC), microSD Socket, PCIe LAN, AES-NI
POWER MANAGEMENT	ACPI, S5 Eco
POWER SUPPLY	4.75 V – 20 V Wide Range, Single Supply Power
SPECIAL FEATURES	POSCAP capacitors, GPIO/SDIO Switch, LVDS/DP Multiplexer, 2x MIPI-CSI on PEG interface
OPERATING SYSTEM	Windows® 8, Windows® 7, WE8S, WES7, WEC7, Linux, VxWorks

► BLOCK DIAGRAM



► GLOBAL HEADQUARTERS

Kontron Europe GmbH

Gutenbergstraße 2
 85737 Ismaning, Germany
 Tel.: +49 821 4086-0
 Fax: +49 821 4086-111
 info@kontron.com

www.kontron.com

Copyright © 2021 Kontron. All rights reserved. All data is for information purposes only and not guaranteed for legal purposes. Information has been carefully checked and is believed to be accurate; however, no responsibility is assumed for inaccuracies. Kontron and the Kontron logo are trademarks of Kontron AG and all other trademarks or registered trademarks are the property of their respective owners and are recognized. Specifications are subject to change without notice. COME-G016R-20210831 - WMH